

Message

From: Mues, Pascal [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0B2AB2E32A7049D78F063FA77D054524-PMUES]
Sent: 4/8/2015 5:51:43 PM
To: Jim Parker [jim.parker@pgenv.com]
CC: Vazquez, Gil@Waterboards [Gil.Vazquez@waterboards.ca.gov]
Subject: RE: NPDES Contractor Support TO-32 and TO-38 Changes
Attachments: X-T32 Technical Directive 7_recheck Apr 6 2015.xlsx; X-T38 Technical Directive 3_April 7 2015.xlsx

Jim -- please find attached the latest Technical Directives for TO-32 (EPG14900198) and TO 38 (EPG15900235) authorizing the Contractor to proceed as discussed with EPA and the State.

Also, Gil, please triple-check the utilization status for Group 2 permits under TO-32; the current numbers suggest there may be one permit's worth of unused capacity under that category and we obviously don't have much time to shift around or complete that if it is true.

Thank you both for your diligence in working through the multiple schedule-driven permit swaps over the past few weeks. Don't hesitate to contact me if you have any questions.

-Pascal



United States Environmental Protection Agency

Pascal Mues

Pascal Mues, Environmental Engineer
NPDES Permits office
U.S. EPA Region 9, WTR-2-3
75 Hawthorne Street
San Francisco, CA 94105
Phone: (415)-972-3768
mues.pascal@epa.gov

From: Jim Parker [mailto:jim.parker@pgenv.com]
Sent: Friday, April 03, 2015 12:40 PM
To: Vazquez, Gil@Waterboards; Mues, Pascal
Subject: RE: NPDES Contractor Support TO-32 and TO-38 Changes

Gil/Pascal:

I apologize as I meant to respond back earlier this week. The proposed changes look good to me and are consistent with what we have been discussing the past few weeks.

Have a nice weekend.

Jim

Jim Parker
PG Environmental, LLC

From: Vazquez, Gil@Waterboards [mailto:Gil.Vazquez@waterboards.ca.gov]
Sent: Monday, March 30, 2015 5:49 PM
To: Mues, Pascal@epamail.epa.gov; Jim Parker

Cc: Isorena, Philip@Waterboards; Kozelka, Peter (EPA) (Kozelka.Peter@epamail.epa.gov)
(Kozelka.Peter@epamail.epa.gov)

Subject: NPDES Contractor Support TO-32 and TO-38 Changes

Hello Pascal,

Proposed changes to TO-32 and TO-38 are on the attached spreadsheet. Changes are highlighted in yellow under column "L" or "M."

Please let me know if you have any questions.

-Gil Vazquez
Water Resource Control Engineer
SWRCB – DWQ – NPDES
Phone: 916.322.1400
Email: gvazquez@waterboards.ca.gov